


# TIEFFELUCE

lighting & furniture components

Led Lighting



[tieffeluze.com](http://tieffeluze.com)

# INDEX

MOON .....	1	WAVE Collection .....	30
STREET .....	2	COMPACT Collection .....	32
BAR LED Collection .....	3	PLEXY Collection .....	34
ROLLER Collection .....	4	LINE Collection .....	36
CUBE Collection .....	5	LINE ABS Collection .....	38
DIAMANTE Collection .....	6	PRETTY Collection .....	40
METRO Collection .....	7	TITTI Collection .....	41
SOLAR Collection .....	8	FULL METAL Collection .....	42
LUXURY Collection .....	10	VINTAGE Collection .....	46
SMART Collection .....	28	Bathroom and Kitchen LED lighting .....	49
GOLF / TOTEM .....	29		



## **La luce modifica l'ambiente**

Illuminare sapientemente un ambiente domestico vuol dire individuare le esigenze di luce della stanza e soddisfarle con soluzioni funzionali ed esteticamente interessanti. Ogni specifico spazio della casa richiede particolari criteri di illuminazione.

Da 30 anni Tieffeluca lavora per offrire ai propri Clienti le proposte migliori in fatto di illuminazione e componentistica per il bagno. Progettare sistemi di luce innovativi che valorizzino al meglio l'ambiente bagno è quello che l'azienda ha fatto da sempre e continua a fare nel rispetto dei più alti standard qualitativi.

Oggi Tieffeluca rappresenta una realtà di primo piano nel settore del lighting design per l'ambiente bagno. Collabora con successo con importanti aziende europee di arredamento puntando sempre a nuove sfide che uniscano le parole "luce" e "design".

## **Light changes the ambience**

*Skilfully designing home lighting arrangements means identifying the light needs of a room and satisfying them with functional and aesthetically appealing solutions. Each space in a home requires the adoption of special lighting criteria.*

*For 30 years Tieffeluca has worked to offer its customers the best solutions for bathroom lighting and accessories. Designing innovative lighting systems that best enhance the bathroom, and adhering to the highest quality standards have always been our company's prime objectives.*


*Today, Tieffeluca is leader in the bathroom lighting design sector. Our company successfully collaborates with important European furniture manufacturers, and constantly seeks new challenges that combine "lighting" with "design".*

mod. **LF1375**

Profilo in alluminio calandrato realizzabile in diverse misure e finiture, con strip led e diffusore. Aggancio diretto sul vetro, necessita di alimentatore esterno.  
Lampada led Led lamp CLII-IP44-24V-50Hz

*Calendered aluminum profile available in different sizes and finishes with strip led and diffuser. Direct fixing to the glass, requires external driver.  
CLII-IP44-24V-50Hz LED lamp.*

 **CLII-IP44-24V-50Hz**



CODE	LENGTH Ø	DRIVER
LF1375	500-600-700-800-900-1000-1200	external driver


# STREET

## mod. **LF1376**

Lampada led piccola e versatile, realizzata in ABS cromato, aggancio diretto sul vetro, non necessita di driver.  
LED lamp CLII-IP44-2W-230V-50Hz

*Small and functional LED lamp, made of chromed abs, direct fixing to the glass, does not require driver.  
CLII-IP44-2W-230V-50Hz LED lamp*

CLII-IP44-2W-230V-50Hz 




CODE	Tc (k)	P (w)	DRIVER
LF1376	4000 K	2	no required

# BAR LED Collection


Nuovo profilo in alluminio e plex, questa lampada grazie alla tecnologia dei moduli led diretti a 230V non necessita di alimentatore e sprigiona una luce capace di illuminare da sola l'intera sala da bagno. Non necessita di driver, prevede il montaggio a telaio, disponibile nella versione cromo.

*New aluminum and plex profile, this lamp, with the technology of led modules direct to 230, does not need driver and releases a light capable of illuminating the entire bathroom. Does not need driver, provide fixing for frame, available in chrome finishing.*

Led lamp CLII-IP44-230V-50Hz 



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1293/400	40 cm	4000K	10	no required
LF1293/500	50 cm	4000K	15	no required
LF1293/600	60 cm	4000K	15	no required
LF1293/700	70 cm	4000K	20	no required
LF1293/800	80 cm	4000K	20	no required
LF1293/900	90 cm	4000K	25	no required
LF1293/1000	100 cm	4000K	25	no required
LF1293/1200	120 cm	4000K	30	no required
LF1293/1400	140 cm	4000K	35	no required





# ROLLER Collection

## mod. LF1313

Realizzata in ABS e diffusore in policarbonato sabbiato, monta un modulo led diretto a 230V, sprigiona una luce forte e perfettamente uniforme. Lampada led CLII-IP44-230V-50Hz prevede il montaggio a specchio ed a telaio, disponibile in cromo lucido e nero opaco.

Made of ABS and sandblasted polycarbonate diffuser, it uses a direct 230V LED module, emitting a strong and perfectly uniform light. CLII-IP44-230V-50Hz LED lamp can be mounted directly onto the mirror and onto the frame. Available in polished chrome and matt black.

CLII-IP44-230V-50Hz 





CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1313/30	30 cm	4000 K	4,4	no required
LF1313/50	50 cm	4000 K	8	no required

mod. **LF1314**

Realizzata in ABS e diffusore in policarbonato sabbiato, monta un modulo led diretto a 230V, sprigiona una luce forte e perfettamente uniforme.  
Lampada led CLII-IP44-230V-50Hz prevede il montaggio a specchio ed a telaio, disponibile in cromo lucido e nero opaco

*Made of ABS and sandblasted polycarbonate diffuser, it uses a direct 230V LED module, emitting a strong and perfectly uniform light.  
CLII-IP44-230V-50Hz LED lamp can be mounted directly onto the mirror and onto the frame. Available in polished chrome and matt black.*

 **CLII-IP44-230V-50Hz**



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1314/30	30 cm	4000 K	4,4	no required
LF1314/50	50 cm	4000 K	8	no required


# DIAMANTE Collection

## mod. LF1311

Realizzata in alluminio e metacrilato sabbiato con modulo led diretto a 230V prevede il montaggio a specchio e a telaio.

Made of aluminum and sandblasted methacrylate with a direct 230V LED module, it can be mounted directly onto the mirror and frame.

CLII-IP44-230V-50Hz 





CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1311/30	30 cm	4000 K	8	no required
LF1311/45	45 cm	4000 K	10	no required
LF1311/60	60 cm	4000 K	12	no required



mod. **LF1316**

Profilo in alluminio con diffusore in policarbonato, realizzabile su misura, emana una luce intensa ma minimale.  
*Aluminum profile with polycarbonate diffuser, which can be customized, gives off an intense but minimal light.*

 **CLIII-IP20/44- 12/24V**



CODE	LENGTH	Tc (k)	DRIVER
LF1316	SU RICHIESTA	4000 K	external

# SOLAR Collection

Lampade piccole e molto luminose, perfette per composizioni ridotte o sagomate.



*Small and very bright lamps, perfect for small or shaped compositions.*

## mod. **LF1348**

Lampada in abs cromato e diffusore in policarbonato, prevedono il montaggio a specchio ed a telaio.

*Chromed lamp in abs and polycarbonate diffuser, can be mounted directly onto the mirror and onto the frame.*

**CLII-IP44-230V-50Hz** con modulo diretto a 230V / with direct 230V module 





CODE	Tc (k)	P (w)	DRIVER
LF1348	4000 K	4	no required

mod. **LF1349**

Lampada in abs cromato e diffusore in policarbonato, prevedono il montaggio a specchio ed a telaio.  
*Chromed lamp in abs and polycarbonate diffuser, can be mounted directly onto the mirror and onto the frame.*

 **CLII-IP44-230V-50Hz** con modulo diretto a 230V / *with direct 230V module*



CODE	Tc (k)	P (w)	DRIVER
LF1349	4000 K	4	no required

# LUXURY Collection

La collezione luxury, frutto di un raffinato design è il risultato di un perfetto accostamento di materiali nobili come il vetro, il metacrilato lavorato a mano, l'ottone e l'acciaio inox per ottenere un prodotto di alta qualità e di sicuro effetto.


*The luxury collection, following a refined design, it's a result of a perfect mix of fine materials, such as hand-blown glass, handmade methacrylate, brass and inox, to obtain high quality product and great impression.*

## mod. **LF1315**

Corpo in metallo e diffusore in metacrilato sabbiato, realizzabile in differenti misure.

*Metal lamp and sandblasted methacrylate diffuser, available in different sizes.*

Led lamp CLIII IP20/44-24V 




Esempi di misure / Examples of dimensions

CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1315	32 cm	4000 K	4,8	external
LF1315/450	45 cm	4000 K	6,8	external
LF1315/600	60 cm	4000 K	9,2	external
LF1315/800	80 cm	4000 K	12,4	external

mod. **LF1339**


Lampada da soffitto in acciaio inox e diffusore in metacrilato.  
*Ceiling lamp in stainless steel and methacrylate diffuser.*

 Led lamp CLII-IP20-230V-50hz



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1339	102 cm	4000 K	25	internal

# LUXURY Collection





Corpo in metallo, diffusore in metacrilato sabbato.  
Housing in metal, diffuser in sanded methacrylate.

Led lamp CLII-IP20/44-230V-50Hz 

CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1273	130 cm	3000 K	3	no required
LF1273/190	190 cm	3000 K	3	no required

mod. **LF1290**

mod. **LF1274**




Corpo in metallo verniciato, può essere realizzata in tubo tondo e quadro.  
*Housing in painted metal, can be made in round or square tube.*

**Led lamp CLII-IP20-G9-230V-50Hz** 

CODE	Tc (k)	P (w)	DRIVER
LF1290	3000 K	3	no required
LF1274	3000 K	3	no required

# LUXURY Collection

mod. ROMBO



Lampada realizzata in ottone e vetro trasparente rigato.  
*Housing in brass and transparent striped glass.*

Led lamp CLII-IP20/44-G9-230V-50Hz 

CODE	Tc (k)	P (w)	DRIVER
LF1298/01	3000 K	3	no required






Corpo in metallo verniciato, può essere realizzato in tubo tondo o quadrato.  
 Housing in painted metal, can be made in round or square tube.

**Led lamp CLII-IP20/44\_G9-230V-50Hz** 

CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1251	50 cm	4000 K	3	no required




# LUXURY Collection

## mod. SLIM

Corpo in acciaio e diffusore in metacrilato sabbiato sottilissimo 6 mm.  
 Housing in inox, diffuser in sanded methacrylate extremely thin.

Led lamp CLII-IP20/44-12V-50Hz 



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1270/50	50 cm	4000K	6.85	external
LF1270/60	60 cm	4000K	8.30	external
LF1270/70	70 cm	4000K	9.75	external
LF1270/80	80 cm	4000K	11.16	external
LF1270/90	90 cm	4000K	12.75	external
LF1270/100	100 cm	4000K	14	external
LF1270/110	110 cm	4000K	15.50	external
LF1270/120	120 cm	4000K	16.90	external
LF1270/130	130 cm	4000K	18.40	external
LF1270/140	140 cm	4000K	19.8	external
LF1270/150	150 cm	4000K	21.25	external
LF1270/160	160 cm	4000K	22.70	external
LF1270/170	170 cm	4000K	24.10	external
LF1270/180	180 cm	4000K	25.55	external
LF1270/190	190 cm	4000K	27	external
LF1270/200	200 cm	4000K	28.45	external




Corpo in acciaio super mirror e diffusore in metacrilato sabbato di 10 mm, non necessita di driver, prevede il montaggio a specchio e a telaio.

*Housing in super mirror diffuser in sanded handmade methacrylate of 10 mm, no driver required, provide two fixing for mirror and frame.*

**Led lamp CLII-IP44-230V-50Hz** 

CODE	Tc (k)	P (w)	LENGTH	DRIVER
LF1245/344	4000 k	9	35 cm	No required
LF1245/554	4000 k	15	55 cm	No required








Corpo in ottone cromato e vetro soffiato a bocca.  
 Housing in chromed brass, hand-blown glass.

Led lamp CLII- IP20/44-G9-230V-50Hz 

CODE	Tc (k)	P (w)	SIZE	DRIVER
LF1097	3000K	3	Long	No required
LF1098	3000K	3	Short	No required








Corpo in acciaio inox e diffusore in metacrilato sabbiato di 10 mm lavorato a mano.  
*Housing in inox, diffuser in sanded handmade methacrylate of 10 mm.*


**Led lamp CLIII-IP44-12V** 

CODE	Tc (k)	P (w)	DRIVER
LF1022	4000K	7.2	external










Corpo in acciaio inox e diffusore in metacrilato sabbato di 10 mm lavorato a mano.  
 Housing in inox, diffuser in sanded handmade methacrylate of 10 mm.

**Led lamp CLIII-IP44-12V** 

CODE	Tc (k)	P (w)	DRIVER
LF1025	4000K	7.2	external






Corpo in acciaio inox e diffusore in metacrilato sabbato di 10 mm lavorato a mano.  
*Housing in inox, diffuser in sanded handmade methacrylate of 10 mm.*


**Led lamp CLIII-IP44-12V**  

CODE	Tc (k)	P (w)	DRIVER
LF1037	4000K	6	external






# LUXURY Collection



Corpo in acciaio inox e diffusore in tubo di metacrilato sabbato.  
 Housing in inox, diffuser in sanded methacrylate tube.

**Led lamp CLIII-IP44-12V** 


CODE	Tc (k)	P (w)	DRIVER
LF1020	4000K	6.48	external




Corpo in acciaio inox e diffusore in policarbonato opale.  
 Housing in inox, diffuser in opal white polycarbonate.

**Led lamp CLIII-IP44-12V** 

CODE	Tc (k)	P (w)	DRIVER
LF1106	4000K	10.08	external






Corpo in acciaio inox e diffusore in policarbonato opale.  
 Housing in inox, diffuser in opal white polycarbonate.

**Led lamp CLIII-IP44-12V** 


CODE	Tc (k)	P (w)	DRIVER
<b>LF1030</b>	4000K	11.52	external



Corpo in acciaio inox e diffusore in policarbonato sabbato.  
 Housing in inox, diffuser in sanded polycarbonate.

**Led lamp CLIII-IP44-12V** 


CODE	Tc (k)	P (w)	DRIVER
<b>LF1031</b>	4000K	7.2	external





# SMART Collection

Realizzata in ABS, (polimero termoplastico perfetto per creare apparecchi rigidi e leggeri), con un nuovo modulo led diretto 230V, la serie Smart è il connubio perfetto tra tecnologia, risparmio e stile. **Lampada led CLII-IP44-230V-50Hz**, prevede il montaggio a specchio ed a telaio, disponibile in cromo lucido.


Realized in ABS, (thermoplastic polymer perfect to create articles lightweight and rigid), with a new led module direct 230V, Smart series is the perfect blend between technology, savings and style. **Led lamp CLII-IP44-230V-50Hz**, provide two fixing for mirror and frame, available in chrome finishing.



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1264/18/01	18 cm	6000K	3.62	no required



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1264/30/01	30 cm	6000K	4.9	no required




# GOLF / TOTEM

L'ABS permette di dare vita alle forme più particolari. Queste lampade sono pensate per uscire fuori dagli schemi e dare una geometria alternativa alla tradizione. Corpo in ABS diffusore in policarbonato, modulo led diretto a 230V, non necessita di driver, prevede il doppio montaggio a telaio e specchio, **lampada led CLII-IP44-230V-50Hz**, disponibile in cromo.


ABS allows to give life to more particular forms. These lamps are designed to get out of shape and give an alternative geometry to tradition. Housing in ABS, diffuser in polycarbonate, led module direct 230V, provide two fixing for mirror and frame, **led lamp CLII-IP44-230V-50Hz**, available in chrome finishing.



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1261/M/01	13 cm	4000K	6.6	no required



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1260/M/01	26 cm	4000K	6.5	no required




# WAVE Collection

Realizzata in trafilata di alluminio ed assemblata con diffusori particolari che grazie alla loro riflessione, rendono la luce perfettamente omogenea.  
**Lampada led CLII-IP44-230V-50Hz**, con driver Selv interno disponibile in due finiture, cromo e bianco opaco.


*Realized in aluminum profile, assembled with special diffusers that thanks to their reflection, produce a perfect uniform lighting.*  
**Led lamp CLII-IP44-230V-50Hz**, with internal Selv driver, available in two finishing, chrome or matt white.



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1181/15	15 cm	4000K	3.5	Internal



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1181	30 cm	4000K	6	Internal









# COMPACT Collection

Realizzata in fusione di zama, diffusore in metacrilato opale, modello con luce molto performante dal design minimalista.  
**Lampada led CLII-IP44-230V-50Hz**, con driver selv interno disponibile in due finiture, cromo e bianco opaco.

*Realized in zama fusion, diffuser in opal methacrylate, collection with high performance light and minimalist design.  
**Led lamp CLII-IP44-230V-50Hz**, with internal driver, available in two finishing, chrome or matt white.*



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1157	11 cm	6000K	3.5	Internal
LF1158	20 cm	6000K	6	Internal
LF1159	30 cm	6000K	8	Internal





# PLEXY Collection


Modello realizzato in corpo di alluminio e diffusore in plex, questa lampada si distingue per la sua brillantezza che si sprigiona frontalmente e in verticale. **Lampada led CLII-IP44-230V-50Hz**, con driver selv interno, prevede il montaggio sia a specchio che a telaio, é disponibile in finitura cromo.

*Realized in aluminum body and plex diffuser, this model stands for its brightness, released frontally and vertically.*


**Led lamp CLII-IP44-230V-50Hz**, with internal selv driver, provide two fixing for mirror and frame, available in chrome finishing.




CODE	LENGTH	Tc (k)	P (w)	DRIVER
F1219/M	30 cm	4000K	4.8	Internal
LF1220/M	45 cm	4000K	4.8	Internal



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1221/M	60 cm	4000K	9.6	Internal







CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1148	30 cm	6000K	4	no required

# LINE Collection


Realizzato in trafilato di alluminio con diffusore in PMMA, polimero termoplastico estremamente trasparente, l'alternativa leggera al vetro.  
**Lampada led CLII-IP44-230V-50Hz**, con driver Selv interno, prevede il montaggio sia a specchio che a telaio, é disponibile in due finiture cromo e bianco opaco.  
*Realized in aluminum profile with PMMA diffuser, thermoplastic polymer very transparent, light alternative to glass.*  
**Led lamp CLII-IP44-230V-50Hz**, with internal driver, provide two fixing for mirror and frame, available in two finishing, chrome or matt white.



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1083/M	30 cm	6000K	4.8	Internal
LF1172/M	45 cm	6000K	4.8	Internal



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1145/M	60 cm	6000K	9.6	Internal
LF1173/M	80 cm	6000K	9.6	Internal
LF1174/M	100 cm	6000K	9.6	Internal






# LINE ABS Collection

Corpo in ABS, polimero termoplastico perfetto per creare apparecchi rigidi e leggeri, questo modello è nato per essere un'alternativa più economica alla serie in alluminio. **Lampada led CLII-IP44-230V-50Hz**, con driver Selv interno, prevede il montaggio sia a specchio che a telaio, è disponibile in finitura cromo.


Casing in ABS, thermoplastic polymer perfect to create articles lightweight and rigid, this model is born to be a cheaper alternative to aluminum series. **Led lamp CLII-IP44-230V-50Hz**, with internal selv driver, provide two fixing for mirror and frame, available in chrome finishing.



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1241	30 cm	6000K	5.4	Internal



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1241/60	60 cm	6000K	8	Internal










# PRETTY Collection

Corpo in ABS, polimero termoplastico perfetto per creare apparecchi leggeri e rigidi, diffusore in policarbonato opale, ed angoli arrotondati.  
**Lampada led CLII-IP44-230V-50Hz**, con modulo led diretto 230V, prevede il montaggio sia a specchio che a telaio, é disponibile in finitura cromo.


*Casing in ABS, thermoplastic polymer perfect to create articles lightweight and rigid, diffuser in opal polycarbonate, with rounded corners.*  
**Led lamp CLII-IP44-230V-50Hz**, with module led direct 230V, provide two fixing for mirror and frame, available in chrome finishing.



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1217/M	28 cm	6000K	5.5	Internal



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1218/M	38 cm	6000K	7	Internal




Corpo in alluminio, piccole ma molto luminose, sono ideali per specchiere e composizioni di dimensioni ridotte.



**Lampada led CLII-IP44-230V-50Hz**, con driver Selv interno, prevede il montaggio sia a specchio che a telaio, é disponibile in finitura cromo.

*Aluminium housing, diffuser in PMMA, these little models but very bright, are perfect with small size mirrors and furniture.*


**Led lamp CLII-IP44-230V-50Hz**, with internal selv driver, provide two fixing for mirror and frame, available in chrome finishing.



CODE	Tc (k)	P (w)	DRIVER
LF1086/M	4000K	4.8	Internal




CODE	Tc (k)	P (w)	DRIVER
LF1236/M	4000K	3.5	Internal



# FULL METAL Collection



Realizzate in barra di alluminio, con fresatura per alloggiamento modulo power led, diffusore in metacrilato opale, sprigionano una luce intensa.  
 Realised from aluminum bars, with milling for module power led, diffuser in opal methacrylate, emanate a very intense light.



Led lamp CLIII-IP44-350mA-costant current-chromed.




CODE	Tc (k)	P (w)	DRIVER
LF911	4000k	6	external



Led lamp CLIII-IP44-500mA-costant current-chromed.



CODE	Tc (k)	P (w)	DRIVER
LF912	4000k	6	external





# FULL METAL Collection





Led lamp CLIII-IP44-700mA-costant current-chromed. 

CODE	Tc (k)	P (w)	DRIVER
LF913	4000k	6	external




Led lamp CLIII-IP44-700mA-costant current-chromed. 

CODE	Tc (k)	P (w)	DRIVER
LF915	4000k	6	external



Led lamp CLIII-IP44-700mA-costant current-chromed. 

CODE	Tc (k)	P (w)	DRIVER
LF964	4000k	6	external




# FULL METAL Collection




Led lamp CLIII-IP44-700mA-costant current-chromed. 

CODE	Tc (k)	P (w)	DRIVER
LF965	4000k	6	external



Led lamp CLIII-IP44-700mA-costant current-chromed. 


CODE	Tc (k)	P (w)	DRIVER
LF966	4000k	6	external






Led lamp CLIII-IP44-350mA-costant current-chromed. 

CODE	Tc (k)	P (w)	DRIVER
LF1080	4000k	5	external



Led lamp CLIII-IP44-350mA-costant current-chromed. 

CODE	Tc (k)	P (w)	DRIVER
LF1081	4000k	9,6	external




# VINTAGE Collection

Realizzata in ottone lavorato, abbinata a paralumi o vetri, è una collezione molto pregiata che trova la sua collocazione migliore in ambienti classicheggianti. Grazie alle tante finiture cromo, oro bronzo e alle varie stoffe dei paralumi è possibile personalizzare il modello secondo le proprie esigenze.


*Realized in brass and coupled with glasses and lampshades, it's a very precious collection, that finds its finest expression in classical settings. Thanks to different finishing, gold-chrome -bronze and various tissues, it is possible to personalize each model according to own needs.*

Applique CLII-IP20 - 1x42W-230V-50hz 

CODE: LF1164




CODE: LF1165






CODE: LF1166




CODE: LF1168




# VINTAGE Collection

CODE: LF1169



CODE: LF1170




# Barre Led per Bagno e Cucina

*Bathroom and Kitchen LED lighting*




## Led for **DRAWERS**

Barra led in alluminio per cassetto con interruttore "Sensor" realizzabile su misura.  
*Aluminium led bar for drawer with sensor switch, size on demand.*



CODE: LF1197



## **CABINET DOOR** Led lighting

Barra led in alluminio per anta con interruttore "Sensor" realizzabile su misura.  
*Aluminium led bar for door with sensor switch, size on demand.*




CODE: LF1198




# UNDER CABINET Led lighting

Barra led in alluminio da appoggio realizzabile su misura.  
*Aluminium led bar, size on demand.*



# Led DOWNLIGHT

Barra led in alluminio ad incasso realizzabile su misura.  
*Aluminium led bar, size on demand.*




# Led FOR MIRROR

Barra led in alluminio per specchio realizzabile su misura.  
Aluminium led bar for mirror, size on demand.



CODE	LENGTH	Tc (k)	P (w)	DRIVER
LF1212/600	60 cm	4000K	5.52	external
LF1212/700	70 cm	4000K	6.48	external
LF1212/800	80 cm	4000K	7.44	external
LF1212/1000	100 cm	4000K	9.36	external
LF1212/1200	120 cm	4000K	11.28	external
LF1212/1400	140 cm	4000K	13.2	external




# Tailor-made

La Tieffeluce, oltre alle proprie linee di produzione, è specializzata nella realizzazione di articoli su progetto.

La nostra forza è quella di dare vita ad ogni vostra idea, con la competenza e la professionalità che ci ha sempre contraddistinto in più di 30 anni di attività.

## Idea – progettazione – industrializzazione

Per raggiungere l'obiettivo comune di creare un prodotto dai più alti standard qualitativi a prezzi competitivi, rispettando sempre le normative vigenti.



*Addition to its own models, Tieffeluce is specialized in the realization of articles on request.*

*Our strength is "to give life to your ideas" with competence and professionalism that have always characterized us in more than 30 years of experience.*

## *Idea – planning – product engineering*

*To reach the common objective to create a product with highest quality standards and competitive prices, always in accordance with current regulations.*



# TIEFFELUCE

lighting & furniture components

Via F. Petrarca, 34/36/38  
50021 Barberino Val d'Elsa  
(Florence) Italy  
Tel. +39 055 807931  
Fax +39 055 8079333  
tf@tieffeluce.com  
www.tieffeluce.com

